

Comparison of ammonia regulation in Germany, the Netherlands and Denmark – legal framework

Helle Tegner Anker, Lasse Baaner, Chris Backes, Andrea Keessen and Stefan Möckel

DRAFT

November, 2017

Preface:

This report has been elaborated as part of a comparative project initiated by the Danish Environmental Protection Agency, the Ministry of Environment and Food. The project has the purpose to compare the ammonia regulation of livestock installations with a particular view to Natura 2000 sites and the EU Habitats Directive. The project consists of three parts analysing the situation in Denmark, Germany and the Netherlands from a legal perspective, an economic perspective and a natural science perspective. This report compares the legal framework in Denmark, Germany and the Netherlands.

Content

| | |
|---|----|
| 1. General remarks | 4 |
| 2. Implementation of the EU Habitats Directive | 5 |
| 2.1. General legal framework | 5 |
| 2.2. Designation of Natura 2000 sites | 7 |
| 2.3. Active management and existing activities – Habitats Directive Art. 6(1) and 6(2)..... | 7 |
| 2.4. Habitat assessments – Habitats Directive art. 6(3) | 8 |
| 3. Ammonia regulation in general..... | 11 |
| 4. Livestock regulation and ammonia sensitive areas..... | 13 |
| 4.1 Environmental permits and other permit and assessment requirements..... | 13 |
| 4.2. Emission requirements or standards..... | 17 |
| 4.2.1 BAT..... | 17 |
| 4.2.2 Other ammonia emission requirements or standards (site-dependent)..... | 19 |
| 4.3. Ammonia regulation of other agricultural activities (cultivation practices, spreading of manure/organic fertilisers etc.)..... | 22 |
| References: | 24 |

1. General remarks

This report is based on the findings in national reports elaborated as part of the study of ammonia regulation of livestock installations with a particular regard to Natura 2000 sites.¹ The national reports indicate certain variations in the ammonia regulation in Germany, the Netherlands and Denmark respectively. While all three countries are facing issues regarding terrestrial Natura 2000 habitats sensitive to eutrophication by ammonia or nitrogen emissions, the legal approaches to addressing ammonia emissions from livestock installations are somewhat different and not easy to compare.

In Denmark the regulation is centered around the individual environmental permits required for almost all livestock installations, although the assessment and permit criteria have to some extent been standardised as regards so-called “ammonia sensitive” habitats, including also areas outside Natura 2000 sites.

In Germany a Natura 2000 assessment is linked to different permit procedures, including building permits as the thresholds for environmental permits are relatively high. The criteria regarding “ammonia or nitrogen sensitive” habitats has also to some extent been standardised following court rulings, which will have been incorporated into a proposed amendment of the so-called TA Luft standards to be applied in permit procedures.

In the Netherlands a novel approach has been adopted in 2015 in the form of the so-called programmatic (or integrated) approach to nitrogen/ammonia (Programmatische Aanpak Stikstof - PAS). This approach seeks to deal with the assessment requirements of the Habitats Directive Art. 6(3) at a “programmatic” level considering general reduction trends as well as (planned) management and restoration measures with the purpose to establish a “room for development” for subsequent permits. The Dutch approach is highly controversial and it remains to be seen whether it will be accepted by the Court of Justice of the European Union.

While environmental permit requirements apply to almost all livestock installations in Denmark, environmental permit are in the Netherlands only required for large pig and poultry installations in accordance with the IE Directive. Other permits, including Natura 2000 permits, may however be needed in the Netherlands. In Germany, a simplified environmental permit applies to livestock installations below the IED thresholds, but above other thresholds. Other livestock installations are subject to building permits in Germany, which may also include the consideration of nature protection and environmental issues.

Different approaches are also displayed as regards existing livestock installations that do not apply for permit for expansion or other changes. In the Netherlands existing livestock installations appears to be accounted for in the PAS-model, meaning that the activities are not subject to any further permit or assessment requirements as regards their potential (adverse) effects on Natura 2000 habitats and species. Existing stables, are, however subject to general emission reduction requirements – although with a transition period.

In Denmark some existing livestock installations will be subject to a reconsideration or update of their permit which will invoke the ammonia standards laid down in the Livestock Installations Act. Otherwise

¹ This includes: S. Möckel, Germany - national report on the legal framework for ammonia regulation of livestock installations with a particular regard to Natura 2000-sites; C. Backes & A. Keessen, The Netherlands – national report on the legal framework for ammonia regulation of livestock installations with a particular regard to Natura 2000-sites, H.T. Anker & L. Baaner, Denmark - national report on the legal framework for ammonia regulation of livestock installations with a particular regard to Natura 2000-sites, H. Luesink & R. Michels, Ammonia regulations regulations near nature areas in Denmark and the Netherlands compared and U. Latacz-Lohmann, Economic analysis of ammonia regulation in Germany (Schleswig-Holstein) in relation to the Habitat Directive.

existing installations can be subject to an individual order imposing e.g. ammonia emission reductions. There are, however, no known examples of such orders. In Germany, existing livestock installations with potential adverse effects on Natura 2000 sites may also be subject to individual orders. As regards large pig and poultry livestock installations subject to the requirements of the EU Industrial Emissions Directive (IED) it must be ensured that existing installations will comply with the EU BAT-conclusions. Furthermore, it must be assumed that the IED installations shall be subject to a reconsideration or update of their permit in accordance with the IE Directive. While in Denmark and Germany livestock installations are primarily subject to emission limit and technology requirements when they apply for a permit, in the Netherlands general standards apply to all livestock installations in the Decree on Low Emission Stables although with a transition period for existing stables. Certain general technology standards do, however, also apply to non-permit installations in Germany (so-called “operator obligations”) and in Denmark.

Finally, the extent to which other “ammonia or nitrogen sensitive” habitats than those within Natura 2000 sites may lead to restrictions on livestock installations also varies. In Denmark it is quite clear that the permit procedure for livestock installations includes the consideration of “ammonia sensitive” habitats outside Natura 2000 sites – the so-called category 2 and 3 habitats. In addition, an individual assessment must be made with regard to breeding and resting sites of Annex IV species and in practice also other habitats sensitive to ammonia deposition can be examined as part of the permit procedure, e.g. lakes above 100 m². In Germany, other sensitive ecosystems may also be considered as part of a permit for livestock installations if the ammonia deposition will exceed the cut-off or de minimis thresholds. In the Netherlands, areas sensitive to acidification outside Natura 2000 sites are designated by the provinces.² On the basis of the Livestock and Ammonia Act, a general distance requirement of 250 m applies around these areas sensitive to acidification.

2. Implementation of the EU Habitats Directive

2.1. General legal framework

Implementation of the EU Habitats and Birds Directives appears to have been difficult in all three countries. Denmark and the Netherlands only recently appear to have established a full transposition of the Habitats Directive into national legislation. In Germany, the split in legislative powers between the federal and state level makes it difficult to get a full picture as regards the formal transposition.

The Netherlands has for a number of years relied on the direct application of the directives by courts and administrative authorities. Most of the legal gaps have been filled by an amendment of the Nature Protection Act in 2005. Furthermore, the Netherlands employ a national policy aiming at a minimum implementation of EU legislation.³ In January 2017 a new Nature Protection Act (2017) came into force. This Act ensures a correct transposition of the Habitats and Birds Directives. Yet, other legislative initiatives – such as the Integrated Approach to Nitrogen (PAS) – remains highly controversial in relation to the

² This concerns areas which are part of the “Ecologische Hoofdstructuur” (EHS, now called Natuur Netwerk Nederland, NNN, National Ecological Network). The NNN consists of the Natura 2000 areas and other areas, designated by the provinces.

³ Backes & Keesen p. 2. See also Squintani, L. (2013). Gold-plating of European environmental law, University of Groningen.

compliance with the EU directives and a preliminary reference is currently pending before the Court of Justice of the European Union (C-294/17).

In Germany the legislative powers regarding nature protection are split between the federal and state level. In general, species protection is subject to federal legislation only, whereas protection of habitats, including Natura 2000-sites, is both a federal and a state matter. Federal legislation, Bundesnaturschutzgesetz (BNatSchG), obliges the Federal Government as well as the Länder to implement all Natura 2000 related provisions of the Habitats Directive. Art. 6(2) of the Habitats Directive is implemented in the form of a general binding ban on deterioration (BNatSchG Art. 33(1)), while Art. 6(3) (and 6(4)) are implemented in the “compatibility assessment” requirement of BNatSchG Art. 34-36. The Länder are responsible for selecting and designating terrestrial Natura 2000-sites and for the protection of Natura 2000 sites. It appears that there are some deficiencies regarding the designation as protected sites and the establishment of conservation measures in accordance with Art. 6(1) of the Habitats Directive as well as Art. 4(4) of the Birds Directive and an infringement procedure was initiated by the EU Commission in 2015.⁴ In Schleswig-Holstein the designation process is completed, but there are deficits in management measures.⁵

In Denmark the transposition of the Habitats Directive is scattered across a number of different pieces of legislation that gradually have been adjusted to ensure a correct transposition of e.g. HBD Art. 6. In general, the designation of Natura 2000 sites as well as the (pro-)active protection and management of the sites (art. 6(1)) is governed by the Act on Environmental Objectives, whereas the requirements to restrict existing harmful activities mainly relies on the Nature Protection Act as well as in the administration of relevant legislation. Finally, the obligation to ensure a proper assessment of potential effects of (new) projects or activities is mainly embedded in the Executive Order 926/2016 linking the assessment requirement to different permit procedures in the relevant legislation. The Executive Order 926/2016 also establishes a requirement to avoid destruction or deterioration of breeding or resting places for Annex IV species when granting a permit. This is combined with a general prohibition in the Nature Protection Act.

Table 1: General legal framework regarding Natura 2000 sites and the Habitats Directive Art. 6.

| | Denmark | Germany | Netherlands |
|--------------------------|--|---|---|
| Natura 2000 sites | <ul style="list-style-type: none"> • 252 sites • 8% of land area • 17% of marine area | <ul style="list-style-type: none"> • 5,211 sites (SH: 311 sites) • 15% of land area • 41% of marine area | <ul style="list-style-type: none"> • 166 sites • 13% of land area • 20% of marine area |
| HBD Art. 6(1) | <ul style="list-style-type: none"> • Natura 2000 plans + (pro-active) measures | <ul style="list-style-type: none"> • Optional management plans (state level) | <ul style="list-style-type: none"> • Natura 2000 management plans, including regulation of existing and new activities |
| HBD Art. 6(2) | <ul style="list-style-type: none"> • Natura 2000 plans • Agreements or orders | <ul style="list-style-type: none"> • General prohibition | <ul style="list-style-type: none"> • Natura 2000 management plans, including regulation of existing and new activities |

⁴ Infringement case 2014/2262.

⁵ Möckel, p. 6.

| | | | |
|-------------------------|--|--|--|
| HBD Art. 6(3) | <ul style="list-style-type: none"> Natura 2000 assessments – part of permit procedure | <ul style="list-style-type: none"> Natura 2000 assessments – part of permit procedure | <ul style="list-style-type: none"> Natura 2000 assessments – part of Natura 2000 permit (NPA Art. 2(8) or integrated permit) PAS |
| Annex IV species | <ul style="list-style-type: none"> Assessment requirement in permit procedures (incl. livestock installations) General prohibition | <ul style="list-style-type: none"> General prohibition | <ul style="list-style-type: none"> General prohibition |

2.2. Designation of Natura 2000 sites

Natura 2000 sites have been designated in all three countries covering a land area of respectively 8 % (DK), 13 % (NL) and 15 % (DE). In the Netherlands the land area includes large inland waters, including closed sea inlets. Furthermore, there have been controversies regarding the designations and some designations are still pending in the Netherlands. A preliminary reference has been made to the Court of Justice of the European Union regarding the decision (with the approval from the European Commission) to reduce the size of a Natura 2000 site (Haringvliet-Leenheerenpolder – C-281/16). In the meantime,⁶ the Court of Justice of the European Union has ruled that the amendment by the Commission of the EU list of areas to be designated, according to which the Leenheerenpolder would not have to be designated, infringed EU law and therefore is not valid.

All three countries also operate with so-called “ammonia” or “nitrogen” sensitive habitats within the Natura 2000 sites. In Germany and the Netherlands the “sensitivity” appears to be based on the critical load of the habitats. In the Netherlands, a total of 118 sites have been identified as being designated for the protection of habitats sensitive to nitrogen. In all these areas the calculated background deposition of ammonia is higher than the critical load of the respective habitat type.⁷ In Germany, there appears to be no official information on the actual number of areas concerned, but information is available on critical loads and the extent to which the critical loads are exceeded.⁸ In Denmark the identification of “ammonia sensitive” habitats is mainly based on a general assessment of the habitat type, e.g. the 43 habitat types and other habitats outside Natura 2000 sites. In Germany and the Netherlands the “nitrogen sensitive” habitats are not only designated with regard to agricultural pollution, but more generally to nitrogen pollution from different sources. In Denmark, on the other hand, the concept of “ammonia sensitive” habitats is linked to the regulation of livestock installations and agricultural pollution only.⁹

2.3. Active management and existing activities – Habitats Directive Art. 6(1) and 6(2)

According to Art. 6(1) of the Habitats Directive the Member States are required to establish the necessary conservation measures with the purpose to maintain or restore a favourable conservation status for the habitats and species. To what extent the favourable conservation status shall be met at site level or at national level is not clear. The Netherlands gained the acceptance of the European Commission to adopt a strategy whereby favourable conservation status is to be achieved at the national level, and not necessarily

⁶ C-281/16, ECLI:EU:C:2017:774, Judgment of 19 October 2017.

⁷ Backes & Keessen, p. 5.

⁸ Möckel, 2017 fig. 7 and UBA, 2015 p. 7

⁹ The sensitivity of Natura 2000 habitats to nitrogen or ammonia depositions shall, however, also be considered in permit procedures for other polluting activities, such as power plants. This will be done on an individual case by case basis and the assessment criteria have not been standardised as is the case for livestock installations.

at each site. It is not clear whether this is fully in compliance with the Habitats Directive as interpreted by the CJEU.¹⁰ Art. 6(1) is closely related to Art. 6(2) – the no-deterioration principle – which mainly applies to existing (harmful) activities. Thus, (pro-)active management measures and restrictions may be necessary to address ammonia pollution from ongoing activities or otherwise to restore degraded habitats.

Natura 2000 management plans are mandatory in Denmark and the Netherlands, while it in Germany is an option for the states or authorities whether to use management plans or not. In Schleswig-Holstein Art. 27(1) LNatSchG obliges the competent nature conservation authority to enact management plans under public participation, if it is necessary. In Germany, the designation may include provisions regarding existing and new activities. The Dutch Natura 2000 management plans can have a regulatory function, both as regards existing and new activities. Thus, if an activity is explicitly approved in a management plan, the general permit requirement of the Nature Protection Act does not apply. It appears, however, that it has been difficult to address ammonia pollution from agriculture in the Dutch management plans and the management plans have been awaiting the Integrated Approach to Nitrogen (PAS). In Denmark, ammonia pollution from livestock installations is not addressed in the Natura 2000 plans as they simply refer to the regulation under the Livestock Installations Act. However, in Denmark (and in the Netherlands) more proactive measures can be part of the management plans seeking to mitigate the adverse effects of ammonia pollution. The regulation of existing or ongoing activities such as existing livestock installations and stables is regulated in different ways in the three countries, see further below Section 4.

2.4. Habitat assessments – Habitats Directive art. 6(3)

According to Art. 6(3) of the HBD any plan or project likely to have a significant effect, either individually or in combination with other plans or projects, shall be subject to appropriate assessment of its implications for the site in view of the site's conservation objectives - a Natura 2000 or habitat assessment. A permit can in accordance with the rulings of the Court of Justice be granted only after “having ascertained that it will not adversely affect the integrity of the site concerned.”

When it comes to new projects in the form of livestock installations¹¹ all three countries have made attempts to address the particular problems related to ammonia deposition from livestock installations in the vicinity of Natura 2000 sites sensitive to ammonia or airborne nitrogen compounds. The assessment and permit requirements of Art. 6(3) are implemented in different ways in the three countries. Denmark and Germany have a somewhat similar approach linking Natura 2000 assessments to permit procedures, e.g. environmental permits or building permits. The Netherlands has with the so-called PAS (Programmatiese Aanpak Stikstof) taken another – more programmatic – approach to ammonia pollution in general. The Dutch approach is controversial in view of the requirements of the Habitats Directive and a preliminary reference has been made to the Court of Justice of the European Union. Thus, it remains uncertain to what extent PAS is in compliance with the Habitats Directive. While the PAS primarily is used to facilitate (anticipated) compliance with Art. 6(3) for new projects, it must be viewed in combination with other instruments such as the general minimum distance of 250 m for the establishment of new livestock installations in the Ammonia and Livestock Installations Act, see further below section 4.

¹⁰ Schoukens, 2017 p. 485 argues that favourable status also needs to be achieved at site level, especially in cases where the overall status is unfavourable at national level.

¹¹ The extent to which other agricultural activities are regarded as projects in the context of Art. 6(3) appears to vary in the three countries. This will not, however, be elaborated further in this report.

The Dutch PAS model that became operational on 1 July 2015 aims to avoid further deterioration and to contribute to the achievement of a favourable conservation status for nitrogen sensitive Natura 2000 sites. At the same time PAS aims to enable economic development. PAS is a national plan based on a calculation tool – AERIUS Calculator – that calculates depositions for a 1 ha grid. It takes into account expected reduction of N-deposition as well as an additional deposition resulting from an annual economic growth of 2.5%. On the basis of the calculations, a “room for economic development” can be identified for each Natura 2000 site. The expected reduction of N-deposition is based on so-called generic source measures implementing existing policies and an additional package agreed with the agricultural sector, e.g. gas scrubbers, manure application techniques etc. These measures are estimated to provide a 9% reduction of agricultural emissions by 2030 compared to 2013.¹² Furthermore, ecological restoration measures in the 118 Natura 2000 sites containing “nitrogen sensitive” habitats are taken into account, e.g. removal of top soil layers or hydrological measures. Site analyses have been carried out to demonstrate that there would be at least no further degradation of habitat quality. The PAS also includes a monitoring system that should guarantee that Natura 2000 objectives will not become threatened by the PAS model.

Thus, as a programme, the PAS has been subject to an assessment to demonstrate that all the projects it comprises will not have any significant adverse effects on any of the 118 nitrogen sensitive Natura 2000 sites. According to PAS existing activities, e.g. livestock installations, as well as new projects with an ammonia emission resulting in a model-based theoretical deposition on a sensitive habitat below 1 mol N/ha/year (0,014 kg N/ha/year) do not need a permit – they are authorized through the PAS programme. New projects with an ammonia emission resulting in a calculated deposition above 1 mol N/ha/year need a permit (and Natura 2000 assessment) in accordance with the Nature Protection Act 2017. They can obtain a permit if there is (still) some “room for development” within the Natura 2000-site. If 95 % or more of the “room for development” has been used the cut-off threshold for not needing a permit will be lowered to 0,05 mol N/ha/year.

The PAS has been challenged in the Dutch courts on grounds that it is not in accordance with the Habitats Directive. Two pilot cases – one on several livestock installations and one on cattle grazing and manure spreading – have jointly been submitted for a preliminary ruling by the CJEU (C-294/17). It appears that the Judicial Division of the Dutch Council of State has taken the view that PAS can exclude certain categories of activities from an individual assessment requirement as an assessment has been carried out at the programme level. The Judicial Division also appears inclined to accept that the predicted general reduction in ammonia emissions as well as the effects of conservation measures can be taken into account in the PAS.¹³

In Germany the potential effects on Natura 2000 sites must be assessed for all projects in accordance with the BNatSchG § 34. There are no minimum threshold sizes for the Natura 2000 compatibility assessment. If a project does not require authorization, it must be notified.¹⁴ The Natura 2000 compatibility assessment is carried out by the competent immission control or building authority. If Natura 2000 sites contain “nitrogen sensitive” habitats or species significant effect is according to the German courts likely, if the Critical Load (CL) regarding nitrogen (or ammonia) deposition for these habitats or species is exceeded. The criteria for significant effects have been laid down in so-called Fachkonventionen (guidance documents of the best knowledge in the field). Fachkonventionen are not legally binding, but provide assistance to the competent

¹² de Heer et al., 2017 p. 102.

¹³ Backes & Keesen p. 13.

¹⁴ Measures of agricultural land use are, however, not projects requiring notification if they meet requirements of good professional guidance. This is criticized in literature. See Möckel p. ...(n. 47).

authorities in the assessment in accordance with the guidance and court rulings. In general, a screening will be carried out with the purpose to determine whether a full assessment is required. Certain cut-off and de minimis thresholds have been established and confirmed by the German courts. If the background load, together with the additional load from the project and from cumulative projects and plans stays within the critical load, the project is considered not to have a significant impact. Independent of whether the critical load is exceeded or not, a project is not considered to have a significant impact if the additional load is below 0,3 kg N/ha/year (cut-off threshold), or if it is below 3% of the critical load (de minimis threshold). If these cut-off or de minimis thresholds are exceeded significant effects are assumed and a full assessment must be carried out. It will then be up to the project developer to propose ammonia abatement measures that can keep the additional load within the thresholds. Otherwise, a permit must be rejected.¹⁵ If specific critical loads have not been established a site-specific assessment must be carried out. It is expected that the cut-off and de minimis thresholds will be incorporated in the revised TA Luft regarding Natura 2000 sites.

In Denmark, the Natura 2000 assessment is closely linked to permit procedures, for livestock installations the environmental permit in accordance with the Livestock Installations Act. An environmental permit is required for the establishment or amendment/enlargement of livestock installations with a production area above 100 m². The Livestock Installations Act (and Executive Order 916/2017) defines three categories of “ammonia sensitive” habitats, whereof only category 1 is located within Natura 2000 sites. Category 1 habitats comprise 43 out of the 59 Natura 2000 habitat types in Denmark. According to the legislation specific permit thresholds apply for livestock installations that are located in the vicinity to category 1 habitats, see further below 4.2.2 on the criteria regarding category 2 and 3 habitats. The category 1 criteria apply to the total load, i.e. the ammonia deposition from the new/amended project as well as the existing project. Furthermore, the cumulative effects from nearby livestock installations must be taken into account. When a permit is granted, the maximum allowable ammonia deposition on a category 1 habitat is 0,7 kg N/ha/year if there are no other farms nearby; 0,4 kg N/ha/year if there is one other farm in the vicinity; and 0,2 kg N/ha/year if there is more than one other farm in the vicinity. In addition to category 1 habitats it cannot be ruled out that the effects on other ammonia sensitive nature types or Annex IV species must be assessed on an individual basis in the permit procedure, cf. Executive Order 926/2016.

When comparing the thresholds regarding ammonia deposition from new/amended livestock installations to ammonia or nitrogen sensitive habitats it is important to note whether they relate to the *additional load* compared to existing installation *or the total load* from the entire livestock installation after the establishment. In this respect the Danish deposition thresholds for category 1 habitats refer to the total load, while the German and Dutch thresholds refer to the additional load from the project in question, e.g. an enlargement of the production. In this context it is also important whether *cumulative effects* from other installations or predicted installations are taken into account or not – this is the case in Denmark. In Germany existing installations are part of the background load, while new projects and plans that are permitted, but not realised, must be taken into account as cumulative projects in a permit procedure. In the Netherlands, the PAS model implies that existing farms as included in the background load will not affect the assessment of individual projects. Until the PAS applied cumulative effects were applied very strictly by referring to the critical load.

Furthermore, it is important to note whether the thresholds are used to determine whether an assessment or a permit is required (screening/assessment thresholds), or whether they determine when a permit can

¹⁵ It appears that an option exists to examine whether certain assessment values of the particular habitat are exceeded, see Latacz-Lohmann p. 21.

be granted (permit thresholds). The latter applies in Denmark where a permit cannot be granted if the thresholds are exceeded. In Germany, the criteria have been developed by the courts as screening criteria to determine whether significant effects can be excluded without remaining doubts. At the same time they also appear to function as thresholds for when a permit can be granted. In the Netherlands, the 0,1 mol N/ha/year (or 0,05 mol N/ha/year) is a threshold that determines whether a permit is needed or not. Thus, a permit is required (and can be granted) when the threshold is exceeded – depending, however, on the availability of any “room for development” for the specific site.

Table 2: Natura 2000 assessment/permit criteria regarding ammonia/nitrogen

| Denmark | Germany | Netherlands |
|---|---|--|
| <p>“Ammonia sensitive” habitats (category 1)</p> <p>Permit thresholds:</p> <ul style="list-style-type: none"> Total load below 0,2-0,7 kg N/ha/year (cumulation model) <p>(Livestock Installations Act – category 1)</p> | <p>Critical Loads (CL) for “nitrogen sensitive” habitats and species (not binding)</p> <p>Screening/assessment thresholds (cut-off/de minimis – no significant effects are assumed and no further assessment needed):</p> <ul style="list-style-type: none"> Additional load below 0,3 kg N/ha/year (cut-off), or Additional load below 3% of CL (de minimis) <p>(Fachkonventionen and court decisions – to be incorporated into revised TA Luft)</p> | <p>PAS (“nitrogen sensitive” habitats):</p> <p>Cut-off assessment threshold (no permit requirement):</p> <ul style="list-style-type: none"> Additional load below 1 mol N/ha/year (or 0,05 mol N/ha/year if no “room for development”) <p>Permit threshold:</p> <ul style="list-style-type: none"> within “room for development” <p>Ammonia and Livestock Installations Act:</p> <ul style="list-style-type: none"> 250 m prohibition zone around areas sensitive to acidification (no new establishment, but amendments/enlargements can be accepted if no increase in total emission) |

3. Ammonia regulation in general

Ammonia emissions in all three countries originate mainly from agriculture. It is estimated that respectively 96 % (DK), 95 % (DE) and 85-90 % (NL) is related to agriculture. Thus, there is a certain focus on ammonia emissions from agriculture in particular in relation to the achievement of the emission ceilings established under the Gothenburg Protocol and the NEC and NERC Directives.¹⁶

¹⁶ Directive 2001/81/EC of the European Parliament and of the Council of 23 October 2001 on national emission ceilings for certain atmospheric pollutants (NEC Directive) will be repealed by 1st July 2018 by Directive (EU) 2016/2284 of the European Parliament and of the Council of 14 December 2016 on the reduction of national emissions of certain atmospheric pollutants, OJ L 344, 17.12.2016, p. 1–31 (NERC Directive).

Table 3: NEC/NECR emission ceilings

| | Denmark | | Germany | | Netherlands | |
|-------------|-------------------|----------|-------------------|----------|-------------------|--------------|
| | Percentage | Total kt | Percentage | Total kt | Percentage | Total kt |
| 2010 | 43% of 1990 level | 69 kt | | 550 kt | | 128 kt |
| 2020 | 24% of 2005 level | 67 kt | 5% of 2005 level | | 13% of 2005 level | 122 (139 kt) |
| 2030 | 24% of 2005 level | 67 kt | 29% of 2005 level | | 21% of 2005 level | |

In Denmark an Ammonia Action Plan was presented in 2001 with the purpose achieve the 2010 reduction target as well as to protect Natura 2000 sites. It identified a number of measures related to livestock installations, manure storage, spreading of manure etc. that was subsequently incorporated into legislation. In 2007 a new Act on Environmental Permits for Livestock Installations was adopted introducing two different sets of buffer zone requirements: 1) a 300 m buffer zone around specific habitat types prohibiting additional ammonia pollution from new or amended livestock installations (above 15 AU); and 2) a 300-1000 m buffer zone with a general ammonia emission reduction requirement for new or amended livestock installations as well as specific additional ammonia thresholds. The ammonia regulation in the Act on Environmental Permits for Livestock Installations was in 2012 replaced by a set of new rules combining the general ammonia emission reduction requirement with more specific total ammonia thresholds to be applied in the permit procedures for establishing or amendment of livestock installations, see further below.

In the Netherlands, different policy instruments have been used to address the issue of ammonia pollution from livestock installations. This includes the use of spatial planning where livestock farms were only allowed in so-called concentration areas designated by the provinces considering the distance to vulnerable natural areas. This legislation was, however, repealed in 2014. Another important instrument is the regulation on phosphate and production rights which aims at stabilizing and reducing the number of livestock animals in the Netherlands. The phosphate rights are primarily aimed at ensuring compliance with the EU Nitrates Directive, but will also reduce ammonia emissions. The phosphate rights will from 1st January 2018 impose a reduction of the amount of cattle in the Netherlands. The issuance of provisional rules in February 2017 (Ministerial Decree Phosphate Reduction Plan 2017) has, however, been challenged before the Dutch courts with reference to infringement of private property rights. More specific regulation regarding ammonia emissions is - apart from the PAS regulation – mainly based on the Ammonia and Livestock Act (2002)¹⁷ and the Decree on Low Emission Stables (2013/2015) imposing distance requirements (buffer zones) as well as other emission reduction measures on livestock installations.

¹⁷ The Ammonia and Livestock Act has several times been extensively amended, lastly amended 11 October 2016.

In Germany it appears that there has so far not been a strong legislative focus on regulating and reducing ammonia emissions from agriculture although some requirements have been specified in the federal Technical Guidelines for the Prevention of Air Pollution (TA Luft 2002). TA Luft is an administrative regulation that is mandatory for permit procedures of the competent authorities and specifies legal duties for installations, which do not need an environmental permit, but are subject to the Bundesimmissionsschutzgesetz (BImSchG). Thus, TA Luft contains more indirectly binding obligations. Some states have adopted their own administrative regulations, including Schleswig-Holstein which in 2014 adopted a so-called Filter Decree. A proposal for a new TA Luft (2017) has been put forward that is based on the ammonia thresholds and criteria regarding Natura 2000 sites developed through the decisions of the German courts and the so-called Fachkonventionen.

4. Livestock regulation and ammonia sensitive areas

4.1 Environmental permits and other permit and assessment requirements

According to the EU Industrial Emissions Directive (IED)¹⁸ intensive pig and poultry installations above a certain size limit must be subject to an environmental permit. The permit thresholds of the IED are: more than 40,000 places for poultry, more than 2,000 places for production pigs (over 30 kg) or more than 750 places for sows. A permit shall amongst others be based on the best available techniques and the so-called BAT conclusions adopted by the European Commission shall be the reference for setting the permit conditions, including emission limit values. The competent authority may, however, set stricter permit conditions than those achievable by the use of the best available techniques as described in the BAT conclusions. The IED BAT conclusions refer to different techniques re. ammonia emissions and stipulate ammonia emissions limits for different types of pig and poultry rearing installations, ranging from 0,01-0,08 kg NH₃/animal place/year (broilers) to 0,2-2,7 kg NH₃/animal place/year (mating and gestating sows). If an environmental quality standard requires stricter conditions than those achievable by the use of best available techniques, the competent authority is obliged to include additional measures in the permit – the so-called combined method, cf. Art. 18.

In Denmark, livestock installations have since 2007 been subject to a comprehensive environmental permit scheme as laid down in the Livestock Installations Act.¹⁹ The Act applies to small as well as large livestock installations and includes all types of livestock. It combines implementation of the Industrial Emissions Directive (IED or IE Directive) and the EIA Directive.²⁰

The Livestock Installations Act was amended in February 2017²¹ and a new permit scheme entered into force by 1 August 2017. The permit thresholds are summarised in table 4 below. The new permit scheme introduces new permit thresholds based on the size of the production area as opposed to the number of animals based on so-called animal units (AU) in the 2007 legislation.²² According to the new rules a

¹⁸ Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions (integrated pollution prevention and control), OJ L 334, 17.12.2010, p. 17–119.

¹⁹ Consolidated Act no. 256 of 21. March 2017 (bekendtgørelse af lov om husdyrbrug og anvendelse af gødning m.v.).

²⁰ Directive 2011/92/EU of the European Parliament and of the Council of 13 December 2011 on the assessment of the effects of certain public and private projects on the environment, OJ L 26, 28.1.2012, p. 1–21

²¹ Act no. 204 of 28 February 2017.

²² One animal unit (AU) was as a main rule equivalent to 100 kg N “ex stock” (ab storage), but a detailed list of number of animals of different types per AU was provided in Executive Order 1324/2016.

livestock installation with more than 100 m² of production area (e.g. stables etc.) will be subject to a permit requirement (§ 16b). If the livestock installation has an ammonia emission above 3,500 kg NH₃-N/ha/year or is above the permit thresholds of the IE Directive a more comprehensive permit is required (§ 16a).

According to the German legislation two permit systems exist for livestock installations. An environmental permit – regular or simplified - is required under the Bundes-Immissionsschutzgesetz (BImSchG) for larger livestock installations. The environmental permit includes other permits under e.g. nature conservation and building legislation, but not water related permits. For smaller stables only a building permit is required in accordance with state building regulations. A Natura 2000 assessment or an EIA (environmental impact assessment) may be required as part of either the environmental permit or the building permit procedure. Specific thresholds apply for livestock installations under the federal EIA legislation.²³

The environmental permit distinguishes between a regular procedure, including public participation, and a simplified procedure. The regular procedure applies to IED livestock installations as well as fur farm installations with more than 1,000 places and piglet installations with more than 6,000 piglets. The simplified procedure applies to installations with places for more than 1,500 fattening pigs, 560 sows, 4,500 piglets, 15,000 hens/turkeys, 30,000 pullets/poultry for fattening, 600 cows, 500 calves or 750 fur animals. The simplified permit procedure also applies to manure storage installations ≥6,500 m³. If an environmental permit is required, the permit procedure incorporates other permit and assessment requirements such as EIA, Natura 2000 assessment and building permit.

A building permit is required for the construction, expansion or structural modification of livestock installations in accordance with state building regulations and site-related requirements under construction planning legislation governed by the Federal Building Code (BauGB). If an environmental permit is required the building permit check is incorporated in the environmental permit.

An environmental impact assessment (EIA) is mandatory for livestock installations in accordance with the thresholds of Annex I of the EIA Directive. Two sets of thresholds for screening apply: 1) size-based (IED thresholds + 1000 cattle/fur places, or 800 calve places), and 2) size- and site-based (size= simplified permit thresholds). The site-specific screening thresholds are not related to effects on Natura 2000 or other “ammonia or nitrogen sensitive” habitats. An EIA or a screening will be carried out as a procedural component in the permit procedure, either the environmental permit or the building permit.

A Natura 2000 assessment according to Art. 6(3) of the Habitats Directive is also carried out as part of the permit procedure. If a project does not require a permit there is an obligation to notify if substantial environmental impacts on Natura 2000-sites cannot be ruled out with certainty (BNatSchG Art. 34(6)). There are currently no specific assessment (or permit) criteria/thresholds regarding Natura 2000 established as binding legislative requirements. Yet, a proposal for new TA Luft instructions aims to incorporate the cut-off and de minimis thresholds established in accordance with court rulings and the so-called Fachkonventionen, see further above 2.4.

In the Netherlands an environmental permit is, firstly, required for livestock installations above the thresholds of the IE Directive, i.e. larger pig and poultry installations. Secondly, farms below the IED thresholds can be subject to a so called “inofficial” screening whether an EIA is needed, due to the case-law of the European Court of Justice and corresponding case law of the Dutch courts. Thirdly, if a farm may have significant effects on a Natura 2000-area and therefore a permit on the basis of the Nature Protection Act is needed, an EIA has to be made in all cases, without any thresholds applying (art. 7.2a Environmental

²³ Umweltverträglichkeitsprüfung Gesetz (UPVG).

Management Act). The environmental permit will incorporate an EIA (if needed) and may incorporate a Natura 2000-permit in accordance with PAS if an integrated permit is applied for. It appears that it is not possible to impose more strict BAT requirements than those of the Decree on Low Emission Stables on the basis of the environmental law requirements. However, the permit is denied anyway within a zone of 250 meter around the areas designated as sensitive to acidification (Ammonia and Livestock Act, see below). Moreover, the permit on the basis of the Nature Protection Act cannot be granted if the installation does not comply with the requirements of the PAS and therefore may have a significant effect on the sites. Establishment or expansion of a livestock installation also needs a building permit.

According to the Dutch Ammonia and Livestock Installations Act a permit cannot be granted for the establishment of a new livestock installation within 250 m from zones designated as sensitive to acidification. Changes/enlargements of existing farms are normally permitted if the total emissions of the entire installation do not increase. Amongst others, all Natura 2000 sites which are sensitive to ammonia depositions are designated as sensitive to acidification. In general the areas are more than 50 ha, unless a smaller area is of exceptional nature value.

Table 4: Permit and environmental assessment requirements – thresholds

| | Denmark | Germany | Netherlands |
|-----------------------------|--|---|---|
| Environmental permit | Regular permit: <ul style="list-style-type: none"> • IED thresholds, or • >3.500 kg NH₃-N/ha/year Simplified permit: <ul style="list-style-type: none"> • >100 m² production area | Regular permit: <ul style="list-style-type: none"> • IED thresholds, or • > 6,000 piglets or 1.000 fur animals Simplified permit: <ul style="list-style-type: none"> • 1,500 fattening pigs, 560 sows, 4,500 piglets, 15.000 hens/turkeys, 30.000 pullets/poultry for fattening, 600 cows, 500 calves or 750 fur animals • Manure storage ≥6,500 m³ | IED permit: <ul style="list-style-type: none"> • IED thresholds |
| Building permit | | <ul style="list-style-type: none"> • All livestock buildings (incorporated in environmental permit) | <ul style="list-style-type: none"> • All livestock buildings |
| EIA | <ul style="list-style-type: none"> • No separate thresholds - incorporated in environmental permit procedure (mandatory + screening procedure) | Mandatory EIA: <ul style="list-style-type: none"> • EIA Dir. Annex I thresholds Screening: <ul style="list-style-type: none"> • size-based (IED/regular permit thresholds + 1000 cattle/fur places, or 800 calve places • size- and site-based (simplified permit thresholds + site-criteria) | Mandatory EIA: <ul style="list-style-type: none"> • Incorporated in IED permit Screening: threshold + “inofficial” screening of individual situation + site based if effects on Natura 2000-sites cannot be excluded |
| Natura 2000 | <ul style="list-style-type: none"> • Incorporated in permit procedure | <ul style="list-style-type: none"> • All (thresholds) • Incorporated in permit procedure | <ul style="list-style-type: none"> • All, but PAS |

The functioning of environmental permits (and building permits) appears to be somewhat different in the three countries. In Denmark the environmental permit procedure is used to ensure compliance with the specific ammonia thresholds as well as BAT and to lay down permit conditions in accordance with that. The specific ammonia thresholds also refer to ammonia sensitive habitats outside Natura 2000 sites. In Germany the environmental permit is also used to control compliance with BAT requirements and other emission reduction requirements established as general standards (TA Luft). If an environmental permit is not required these smaller livestock installations need a building permit and are still subject to environmental operator obligations. The permits incorporate EIA as well as Natura 2000/habitat assessments in Germany. In Germany TA Luft has so far included consideration of other habitats or plants sensitive to ammonia or nitrogen. In the Netherlands the environmental permit only applies to IED installations, i.e. large pig and poultry installations. A building permit is required for all livestock buildings. Ammonia emissions are in the Netherlands mainly regulated through general standards applicable to all livestock installations, including existing installations. Ammonia emissions in relation to Natura 2000 sites

are regulated on the basis of PAS and the 250 meter zone established around areas sensitive to acidification, which amongst others cover Natura 2000 sites. According to the Ammonia and Livestock Act it is not possible to take into account the effects of ammonia emissions of livestock installations in the environmental permitting for installations outside the 250 meter zone.²⁴ However, the Nature Protection Act is not influenced by the Ammonia and Livestock Act and applies separately. Therefore, an installation outside the 250 meter zone may not be permitted on the basis of the Nature Protection Act if it may have significant effects on a Natura 2000 site. Whether this is the case is, at the moment, examined on the basis of the PAS.

Thus, what in one country is regulated through permits may in another country be regulated through general standards – or in a combination of the two.

4.2. Emission requirements or standards

Emission requirements or standards, including BAT, may be determined as part of a permit procedure or as general standards. The following focuses on emission requirements for livestock installations.

4.2.1 BAT

The legislation often refers to the use of best available technology (BAT), however there appears to be a need to distinguish between BAT standards in general (as specified in the national legislation) and the so-called BAT-conclusions adopted by the European Commission under the IED Directive. The latter are binding in the permit processes for IED installations, i.e. larger pig and poultry rearing installations. In the following we will distinguish between BAT-IED and other BAT standards.

In Denmark the new 2017 Livestock Installations Act stipulates that a permit shall include BAT requirements if the installation will lead to an ammonia emission above 750 kg NH₃-N per year, cf. Sec. 27(2). The BAT requirements will be established on the basis of BAT standards for different types of livestock productions. These standards will be aligned with the recently adopted EU BAT conclusions under the IED Directive,²⁵ i.e. BAT-IED as a minimum. The BAT requirements will apply not only in case of a new permit application, but also in case of reconsideration or updating of an existing permit. Livestock installations below the IED or the 750 kg NH₃-N per year threshold are subject to other technology requirements as laid down in e.g. the Executive Order 865/2017 on livestock installations, manure etc. or executive orders for specific types of livestock installations, e.g. fur farms. Existing installations that are not subject to a permit requirement (due to amendments/enlargements) or updating of a permit are in principle not subject to BAT requirements. They may, however, be subject to an individual order to reduce ammonia emissions in which case reference can also be made to BAT.

In practice, the allowable emission limit is calculated on the basis of the BAT standards and compared to the calculated emission from the installation as laid out in the application. It is possible to take into consideration a number of different measures that will reduce the emission from the installation. If the calculated ammonia emission exceeds the allowable emission limit a permit cannot be granted. Standard

²⁴ Cf. Art. 3 ff Ammonia and Livestock Act.

²⁵ Commission Implementing Decision (EU) 2017/302 of 15 February 2017 establishing best available techniques (BAT) conclusions, under Directive 2010/75/EU of the European Parliament and of the Council, for the intensive rearing of poultry or pigs (notified under document C(2017) 688), C/2017/0688, OJ L 43, 21.2.2017, p. 231–279.

ammonia emission levels for slaughter pigs have in 2011 been set between 0.21 and 0.30 kg NH₃-N per produced pig between 32-107 kg.²⁶ Standard ammonia emission levels for dairy cattle have in 2011 been set between 6.30 and 7.31 kg NH₃-N per cow depending on the number of cows in the stable. The lowest emission levels apply to large farms with more than 750 AU.²⁷ According to the 2017-rules a maximum emission level shall be calculated per m².

In Germany BAT is incorporated in the permit procedures, e.g. environmental permits or building permits. TA Luft (Technical Instructions on Air Quality Control) establishes a number of standards that must be complied with when granting a permit. IED-installations must apply to the IED BAT-standard and also to the "Stand der Technik", which is according to Art. 5 BImSchG the national standard for all installations (including livestock installations), that need an environmental permit. Installations, that do not need an environmental permit, are subject to the so-called operator obligation (Art. 22 BImSchG), which is controlled by the environmental authorities. The TA Luft (Technical Instructions on Air Quality Control) is an administrative regulation that specifies the legal standards set in the BImSchG, especially the "Stand der Technik". For installations, that need an environmental permit, the TA Luft is binding for the permit authority. For other installations the TA Luft is a recommending guideline for the environmental authorities controlling the operator obligations. The current TA Luft from 2002 is subject to a review. A draft of a revised TA Luft was proposed in 2016 and expected to be issued in 2017, but after the election it is likely to be postponed to 2018. The current TA Luft 2002 operates with a general emission limit for ammonia of 30 mg/m³ as well as a minimum distance requirement to certain nitrogen-sensitive plants (cultivated) and ecosystems, see further below. The proposed TA Luft 2017 establishes requirements for ventilation and air cleaning systems for IED installations that should reduce ammonia emissions with min 70% – or if disproportionate then min. 40% emission reduction. It has been estimated that if all measures are properly implemented a total nitrogen reduction of approximately 70% can be achieved. According to the BImSchG Art. 17 appropriate retroactive orders must be issued for existing IED installations to ensure compliance with the EU BAT Conclusions.

In Schleswig-Holstein a specific Filter Decree for pig housing installations above a certain size was issued in 2014. The Filter Decree applies to pig housing installations above 2,000 fattening places, 750 sows or 6,000 piglet raising places, i.e. pig installations subject to a regular permit. New installations and substantive changes to existing installations above the thresholds must install and operate an exhaust air cleaning system, which eliminate at least 70% of ammonia and particular matter emissions. For pig installations subject to the simplified permit procedure it must be decided in each case whether an air exhaust system is required. Existing pig installations (above the permit thresholds) can be subject to an individual order if the odor or ammonia emissions are exceeded. Furthermore, the Filter Decree requires that new slurry containers in fattening pig installations with more than 1,500 places must be covered by a tent roof. For built containers in excess of 6,500 m³ the competent authority must impose a tent roof or other technical cover. Other slurry containers and reservoirs in pig farms not subject to an environmental permit (i.e. below 1,500 places) must be covered with at least a floating straw layer or other biological cover.

In the Netherlands BAT requirements regarding ammonia are regulated through general rules in the Decree on Low Emission Stables (2015). The decree imposes max. emission limit values for the establishment and expansion of livestock stables – with a few exemptions, e.g. minor stables. The Decree also establishes a

²⁶ Miljøstyrelsen 2011: Vejledende emissionsgrænseværdier opnåelige ved anvendelse af den bedste tilgængelige teknologi (BAT) – Husdyrbrug med konventionel produktion af slagtesvin.

²⁷ Miljøstyrelsen 2011: Vejledende emissionsgrænseværdier opnåelige ved anvendelse af den bedste tilgængelige teknologi (BAT) – Husdyrbrug med konventionel produktion af malkekvæg.

transition period until 2020 for existing stables. Meanwhile new stables may need to comply with additional requirements – BAT+ or BAT++ - to compensate for emissions from existing stables on the farm. The regional and local authorities cannot impose stricter standards, e.g. due to geographical conditions. The Dutch emission limits will become more strict with effect from 31st December 2017 – for dairy cows from 12.2 kg to 8.6 kg NH₃ per animal per place per year and for finishers fra 1.6 kg to 1.5 kg NH₃ per animal per place per year. Stricter requirements for IED pig and poultry farms are foreseen to apply from 2020.²⁸

4.2.2 Other ammonia emission requirements or standards (site-dependent)

Apart from the BAT-related emission limits other permit criteria or general standards may address ammonia pollution from livestock installations, including slurry containers, depending on the proximity to ammonia or nitrogen sensitive habitats.

In some countries general distance requirements are set in relation to habitats sensitive to ammonia or nitrogen. It may, however, vary to what extent this is expressed as a direct min. distance requirement or as a max. deposition limit or threshold. Furthermore, such “distance requirements” can be part of the permit procedure or be in the form of general rules. It seems that a combination exists in Denmark and the Netherlands, whereas there are no general distance requirements in Germany or in Schleswig-Holstein, but only calculated minimum distances as part of the permit system.

In Denmark it is not allowed to establish, expand or otherwise amend a livestock installation or manure storage facilities within 10 m from an area with “ammonia sensitive” habitats as identified in § 7 of the Livestock Installations Act, i.e. category 1 and 2 habitats. Small livestock installations that are not subject to a permit requirement as a main rule cannot be established, expanded or amended within 50 m from category 1 and 2 habitats, cf. Executive Order 865/2017 § 8. In addition livestock installations requiring a permit must comply with specific ammonia thresholds. The specific ammonia thresholds were amended in 2011 making it more clear whether to consider the total deposition from the whole installation or only the additional deposition resulting from an expansion or alteration of the production or installations. The specific ammonia thresholds depend upon the habitat type as well as on the potential cumulative effects considering other nearby livestock installations. As regards habitat types the legislation distinguishes between 3 categories of which only the first is related to Natura 2000 sites.

Table 5. Definitions of Danish category 1, 2 and 3 habitats

| Category 1 habitats | Category 2 habitats | Category 3 habitats |
|---|--|--|
| The following habitats if located <u>within</u> a Natura 2000 site: | The following habitats located <u>outside</u> Natura 2000 sites: | The following habitats located <u>outside</u> Natura 2000 sites: |
| 1. Areas with one of the 43 Annex I habitats considered sensitive to ammonia deposition – no size threshold applied | 1. Raised bogs 2. Lobelia-lakes 3. Heaths above 10 ha | 1. Other areas with heath, bog/moor or dry grassland protected by the Nature Protection Act § 3. |

²⁸ Luesink & Michels, 2017 p. 26.

| | | |
|--|---------------------------|---|
| 2. Heaths and dry grasslands protected by the Nature Protection Act § 3. | 4. Dry grasslands 2.5 ha. | 2. Old grown forests fulfilling the criteria for being sensitive for ammonia deposition |
|--|---------------------------|---|

As regards category 1 and 2 habitat types the total deposition from the livestock installation is decisive, whereas only the additional deposition resulting from the new project (expanded or altered production) is taken into account as regards category 3 habitats. When the total deposition is taken into account the result might be that a permit for an expansion of a livestock installation cannot be granted even though the result due to technological measures could be a lower ammonia emission than the one resulting from the existing installation.

For category 1 habitats the maximum total calculated deposition threshold is 0.7 kg N/ha/year if there are no other livestock installations in the proximity, 0.4 kg N/ha/year if there is one other livestock installation in the proximity, or 0.2 kg N/ha/year if there is more than one other livestock installation in the proximity.

An “accumulation model” has been laid down to establish the number of other livestock installations within the proximity of the ammonia sensitive habitat depending upon their ammonia emission and the distance to what is named as ‘the most critical habitat point’, which is typically the distance between the edge of the habitat and the center of the installation.

The German TA Luft 2002 operates with a calculated minimum distance requirement to certain nitrogen-sensitive plants (cultivated) and ecosystems. If the minimum distance requirement is exceeded a special-case examination must be carried out – unless an additional concentration of 3 µg NH₃/m³ in the air is not exceeded. According to 4.8 TA Luft an installation can be approved if no harmful environmental impact can be caused. There are no indications of a harmful environmental impact if the total ammonia exposure in the reception area does not exceed 10 µg/m³. The proposed TA Luft 2017 incorporates the cut-off and de minimis thresholds regarding Natura 2000-sites, and establishes cut-off and de minimis threshold for other sensitive plants and ecosystems (max. 2 kg N/ha/year), see above 2.4.

In the Netherlands it appears that site-dependent standards regarding ammonia or nitrogen emissions from livestock installations are related to Natura 2000 sites as well as other areas which are designated as being sensitive to acidification. According to the Livestock and Ammonia Act the provinces designate nature areas vulnerable to acidification. All Natura 2000 sites which are sensitive to nitrogen (and subject to PAS) are also designated as vulnerable to acidification, but also other areas are designated. An environmental permit for a new livestock installation in or within 250 m from an area vulnerable to acidification must be rejected. For changes or enlargement of existing installations a permit can be granted if the total emissions of the installation do not increase.

Table 6: Emission standards or requirements:

| | Denmark | Germany, Slesvig-Holstein | Netherlands |
|--|---|--|---|
| BAT | <p>BAT-IED part of the permit procedure for installations with ammonia emissions above 750 kg NH₃-N/year:</p> <ul style="list-style-type: none"> • Emission limits • + existing buildings that are significantly renovated • Other existing buildings – individual assessment (proportionality) | <p>Part of permit procedure for IED-installations under BImSchG and supplemented by “Stand der Technik” obligations for all installations requiring an environmental permit:</p> <ul style="list-style-type: none"> • Emission limit (exhaust air): max. 30 mg/m³ (no. 5.2.4 TA Luft) • For existing stables the authorities can enact retroactive orders for implementing BAT-IED (Art. 17 BImSchG)) <p>Ventilation and air cleaning (TA Luft 2017 proposal):</p> <ul style="list-style-type: none"> • IED installations (min 70% emission reduction rates for ammonia etc. – if disproportionate then min. 40% emission reduction) • SH Filter Decree, 2014: Pig farms above 2,000 fattening pigs, 750 sows, 6,000 piglets – new and substantive changes. | <p>Decree on Low Emission Stables (general standards for all livestock installations):</p> <ul style="list-style-type: none"> • Max. emission limit values • Transition period until 2020 for existing stables • BAT+ or BAT++ for new stables when compensating for emissions from existing stables |
| Other site-dependent ammonia emission criteria or standards | <p>Livestock Installations Act (permit criteria):</p> <ul style="list-style-type: none"> • Category 1 (N2000), see above table. • Category 2: max. 1 kg N/ha/year total load • Category 3: >1 kg N/ha/year additional load | <p>TA Luft (2002) – applicable to livestock installations subject to an environmental permit under BImSchG and recommendation guidance for operator obligations of non-environmental permit installations:</p> <ul style="list-style-type: none"> • Min. calculated distance requirements to sensitive plants (eg. horticulture) and ecosystems (based on ammonia emission factors) • Or special-case examination, unless below 3 µg NH₃/m³ (no. 4.8 TA Luft + Annex I) <p>Natura 2000 sites, see table 2.</p> <p>Other sensitive plants or ecosystems due to the proposed TA Luft:</p> <ul style="list-style-type: none"> • Immission cut-off threshold: 2 kg N/ha/a additional load, or de minimis threshold: >10 % of CL | <p>Ammonia and Livestock Installations Act:</p> <ul style="list-style-type: none"> • Min distance 250 m from areas sensitive to acidification – no new establishment, only changes/enlargement if no increase in ammonia emissions, i.e. no additional load • Natura 2000 and PAS, see table 2. |

Table 7: Slurry containers – cover requirements

| | Denmark | Germany, Schleswig-Holstein | Netherlands |
|--------------------------------|--|---|-----------------------------------|
| General standards | Solid or “dense” cover(incl. crust) | Tent roof (SH Filter Decree): <ul style="list-style-type: none"> • Pig farms above 1,500 fattening pigs – new containers Tent roof or other technical cover (SH Filter Decree): <ul style="list-style-type: none"> • Containers above 6,500 m³. Floating straw layer: all other pig farm containers (SH Filter Decree) | Solid cover (all manure storage). |
| Site-specific standards | Solid cover, if less than 300 m from ammonia sensitive habitats (cat. 1 + 2) | | |

4.3. Ammonia regulation of other agricultural activities (cultivation practices, spreading of manure/organic fertilisers etc.)

Regulation of the spreading of manure and other (organic) fertilisers is in all three countries regulated by general standards setting specific requirements regarding incorporation or injection, in particular for grassland or untilled land. Incorporation refers to ploughing or other cultivation techniques to mix the solid manure with the soil. Injection may use different techniques.

In Denmark, the option to lay down individual permit conditions regarding spreading of manure close to ammonia sensitive habitats has by 1 August 2017 been replaced by a general 20 buffer zone around category 1 habitats (Natura 2000) as well as category 2 raised bogs and lobelia lakes. Within this buffer zone specific requirements on injection or incorporation applies.

In Germany, it is mandatory to incorporate organic fertilisers on untilled farmland within 4 hours (DüV Art. 6(1)). A similar requirement as regards solid manure applies in the Netherlands for arable land. From 2020 specific requirements will apply as regards injection of liquid manure on arable land, and from 2025 on grassland (DüV Art. 6(2) and (3)).

In the Netherlands it is mandatory since 1991 to incorporate manure either directly or shortly after application. More specific rules on application methods exist for application of slurry on grassland and on arable land respectively, and for solid manure on arable land.

Table 8: Manure spreading techniques

| | Denmark | Germany, Schleswig-Holstein | Netherlands |
|---|--|--|---|
| Incorporation | <ul style="list-style-type: none"> Incorporation of solid manure on untilled farmland within 4 hours | <ul style="list-style-type: none"> Incorporation of organic fertilisers on untilled farmland within 4 hours | <ul style="list-style-type: none"> Incorporation of manure directly or shortly thereafter on arable land (two tracks) Emission techniques required for different kinds of areas |
| Injection and other application techniques | Liquid manure (slurry) <ul style="list-style-type: none"> Hoses or injection Injection on grasslands, untilled land etc | Liquid organic or liquid organic-mineral fertiliser must after 2020 be deposited in stripes or directly injected on arable land and after 2025 on grassland urea-fertiliser must after 2020 have urea-inhibitor or be incorporated within 4 hours | Liquid manure (slurry) <ul style="list-style-type: none"> Specified techniques for grassland and arable land |
| Site-specific standards (re. ammonia) | 20 m buffer zones cat. 1 (+ cat. 2 lobelia lakes and raised bogs): <ul style="list-style-type: none"> Injection of slurry Incorporation within 4 hours | | |

References:

- Anker, Helle T. & Baaner, L., 2017. Denmark - national report on the legal framework for ammonia regulation of livestock installations with a particular regard to Natura 2000-sites, available at <http://ifro.ku.dk/english/events/ammoniakregulering-af-husdyrproduktionen/>
- Backes, Chris & Keessen, Andrea, 2017. The Netherlands – national report on the legal framework for ammonia regulation of livestock installations with a particular regard to Natura 2000-sites, available at <http://ifro.ku.dk/english/events/ammoniakregulering-af-husdyrproduktionen/>
- de Heer, Mireille et al., 2017. The Integrated Approach to Nitrogen in the Netherlands: A preliminary review from a societal, scientific, juridical and practical perspective, *Journal for Nature Conservation* 35(2017) 101-111.
- Latacz-Lohmann, Uwe, 2017. Economic analysis of ammonia regulation in Germany (Schleswig-Holstein) in relation to the Habitat Directive, available at <http://ifro.ku.dk/english/events/ammoniakregulering-af-husdyrproduktionen/>
- Luesink, Harry & Michels, Rolf, 2017. Ammonia regulations near nature areas in Denmark and the Netherlands compared, available at <http://ifro.ku.dk/english/events/ammoniakregulering-af-husdyrproduktionen/>
- Möckel, Stefan, 2017. Germany - national report on the legal framework for ammonia regulation of livestock installations with a particular regard to Natura 2000-sites, available at <http://ifro.ku.dk/english/events/ammoniakregulering-af-husdyrproduktionen/>
- Schoukens, Hendrik, 2017. Nitrogen deposition, habitat restoration and the EU Habitats Directive: moving beyond the deadlock with the Dutch programmatic nitrogen approach, *Biological Conservation* 212(2017) 484-492
- UBA – Umweltbundesamt, 2015. Reaktiver Stickstoff in Deutschland: Ursachen, Wirkungen, Maßnahmen, Dessau, http://www.umweltbundesamt.de/sites/default/files/medien/378/publikationen/reaktiver_stickstoff_in_deutschland_0.pdf